

Sky Air R32 - Wall Mounted

Compact design and easy installation

- > Compact & Sophisticated Design
- > Comfortable air swing
- > Easy Cleaning
- > Design & Installation flexibility

			4 K	4 K
Model	Indoor		FAA100BVM4	FAA100BVM4
	Outdoor		RZF100CYM4	RZF100CYM4
Catu daya			1Ø, 220 - 240 V, 50 Hz	3Ø, 380 - 415 V, 50 Hz
Kapasitas		Btu/h	34,100 (17,100-38,200)	34,100 (17,100-38,200)
		kW	10.0 (5.0-11.2)	10.0 (5.0-11.2)
Daya Listrik		KW	3.6	3.6
COP		W/W	2.78	2.78
Indoor	Dimensi (HxWxD)	mm	340x1,200x240	
	Berat Mesin	kg	17	
Outdoor	Dimensi (HxWxD)	mm	695x930x350	
	Berat Mesin	kg	48	
Ukuran Pipa		Cair	inch	3/8
		Gas	inch	5/8
Maksimal Pipa		Panjang	m	50
		Tinggi	m	30

Sky Air R-410 - Wall Mounted

Quiet decor-blending form and easy installation in new or old buildings

- > Compact: Sized to fit inside 600 mm wide ceiling grids
- > Quiet operation has been achieved even with a compact body and developed spiral hub c
- > Designed for low draft performance brings optimum comfort
- > With Multi-Flow System, air direction can be selected according to installation.

			4 PK
Model	Indoor		FAQ100CVEA4
	Outdoor		RZR100MYM4
Catu daya			Y: 380-415V, 3Ø, 50Hz
Kapasitas		Btu/h	34,100 (17,100-38,200)
		kW	10.0 (5.0-11.2)
Daya Listrik		KW	3.37
COP		W/W	2.97

Indoor	Dimensi (HxWxD)	mm	340x1,200x240
	Berat Mesin	kg	17
Outdoor	Dimensi (HxWxD)	mm	990x940x320
	Berat Mesin	kg	73
Ukuran Pipa	Cair	inch	3/8
	Gas	inch	5/8
Maksimal Pipa	Panjang	m	50
	Tinggi	m	30

over that reduces the static pressure inside the indoor unit.